

G.A.P. WATERGUARD™ SA ROOF UNDERLAYMENTS SAFETY DATA SHEET



SECTION 1 – PRODUCT & COMPANY IDENTIFICATION	
NAME	G.A.P. WaterGuard SA Rain & Ice Protection, G.A.P. WaterGuard SA MetalGuard HT, G.A.P. WaterGuard SA MetalGuard Trax, G.A.P. WaterGuard SA TileGuard HT, G.A.P. WaterGuard SA TileGuard Ultra
CLASS	Manufactured Asphalt Roofing Products
CONTACT	4444 Hunt Street, Pryor, OK 74361; Tel (918) 825-5200 • (800) 880-9808 • Fax (918) 825-5207; www.gaproofing.us
SECTION 2 – HAZARDOUS INGREDIENTS	
NONE	
SECTION 3 – HAZARDS IDENTIFICATION	
EMERGENCY OVERVIEW	This product contains asphalt. Some asphalt contains sulfur compounds which may form H ₂ S when heated or burnt.
POTENTIAL HEALTH EFFECTS	
SKIN	Not much effect on skin contact
EYES	May cause irritation. But not dangerous
INGESTION	NDA
INHALATION	Not much effect if inhaled
SECTION 4 – FIRST AID MEASURES	
EYE	Wash eyes with water thoroughly
SKIN	Wash after skin contact
INGESTION	Ingestion is not considered a potential route of exposure
INHALATION	None known
SECTION 5 – FIRE FIGHTING MEASURES	
FLASH POINT	N/A
QUALITATIVE FLAMMABLE & REACTIVITY PROPERTIES	Non-Flammable
SUITABLE EXTINGUISHING MEDIA	CO ₂ , Dry Chem, Water
UNSUITABLE EXTINGUISHING MEDIA	None known
GUIDANCE TO FIRE FIGHTERS	N/A
PPE & PRECAUTIONS FOR FIRE FIGHTERS	Avoid confined space w/o proper equipment
SECTION 6 – ACCIDENTAL RELEASE MEASURES	
CLEAN UP TECHNIQUES	None
PERSONAL PRECAUTIONS	See section 8

G.A.P. WATERGUARD™ SA ROOF UNDERLAYMENTS SAFETY DATA SHEET



ENVIRONMENTAL PRECAUTIONS	None
SECTION 7 – HANDLING & STORAGE	
HANDLING & STORAGE	Precautions to be taken in handling and storing. Do not store near flame
SECTION 8 – EXPOSURE CONTROL/ PERSONAL PROTECTION	
EXPOSURE GUIDELINES	Exposure Limit Values: TLV- 5mg/m3 PEL: N/A
ENGINEERING CONTROLS	Do not store near flame
PPE	
EYE	Recommended but not required
SKIN	Protective gloves are recommended but not required. Wear apron.
RESPIRATORY	Not normally required
GENERAL HYGIENE CONSIDERATIONS	Washing facility recommended
SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES	
BOILING RANGE	650-1000o F
MELTING POINT	N/A
VAPOR PRESSURE	N/A
VAPOR DENSITY	N/A
EVAPORATION RATE	N/A
SPECIFIC GRAVITY	>1.0 g/ml
% VOLATILE VOLUME	<0.5%
% WATER VOLUME	<0.1%
SECTION 10 – STABILITY & REACTIVITY	
CHEMICAL STABILITY	Stable under normal condition
CONDITIONS TO AVOID	Incomplete Combustion
INCOMPATIBLE MATERIALS	Strong Oxidants
HAZARDOUS DECOMPOSITION PRODUCTS	May form CO2, NOx, SOx
HAZARDOUS POLYMERIZATION	Will not occur
SECTION 11 – TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	None
REPEATED DOSE EFFECTS	None
SENSITIZATION	None
CARCINOGENICITY	The IARC Monographs (Vol. 35) reporting on mice painting studies states that there is sufficient evidence for the carcinogen in experimental animals of extracts of some asphalts. The same document states that there is inadequate

G.A.P. WATERGUARD™ SA ROOF UNDERLAYMENTS SAFETY DATA SHEET



SECTION 12 – ECOLOGICAL INFORMATION

ECOTOXICITY None

SECTION 13 – DISPOSAL CONSIDERATION

Contact the local authority, comply with local code

SECTION 14 – TRANSFORMATION INFORMATION

SHIPPING NAME Not Regulated

LABELING Not Required

HAZARD CLASS N/A

SECTION 15 – REGULATORY INFORMATION

All Components of this products are on the TSCA inventory or are exempt from TSCA inventory requirements under 40 CFR 720.30

SECTION 16 – OTHER INFORMATION

HMIS RATING

HEALTH	FLAMMABILITY	REACTIVITY	PPE
0	1	0	A

NOTE:

PPE: Personal Protective Equipment

N/A: Not Applicable

NDA: No Data Available

DISCLAIMER:

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of GAP Roofing, Inc. The data on this sheet are related only to the specific material designated herein. GAP Roofing, Inc assumes no legal responsibility for use or reliance upon this data.